

KOMO[®]

product certificate

Number	K10431/03	Replaces	K10431/02
Issued	2013-10-01	Dated	2007-10-01
Valid until	Indefinite	Page	1 of 2


3 Layer PVC pipes for sewerage inside buildings

DYKA B.V.

STATEMENT BY KIWA

This product certificate is issued on the basis of BRL 2023 " Pressureless pipes and fittings with a structured wall of PVC-U for inside and outside buildings " issued on 15 March 1997 including amendment sheet from by Kiwa, in accordance with the Kiwa Regulations for Product Certification.

Kiwa declares that legitimate confidence exists that the by the producer manufactured 3 Layer PVC pipes for sewerage inside buildings comply with the technical specifications as laid down in this product certificate, provided that 3 Layer PVC pipes for sewerage inside buildings have been marked with the KOMO[®]-mark in the manner as indicated in this product certificate.




Bouke Meekma
Kiwa

The certificate is listed in the overview on the website of Stichting KOMO: www.komo.nl.
Advice: consult www.kiwa.nl in order to ensure that this certificate is still valid.

Holder of Certificate
DYKA B.V.
Produktieweg 7
8331 LJ STEENWIJK
Postbus 33
8330 AA STEENWIJK
T 0521-534911
F 0521-534371
I www.dyka.nl

Kiwa Nederland B.V.
Sir Winston Churchilllaan 273
Postbus 70
2280 AB RIJSWIJK
The Netherlands

Tel. +31 70 414 44 00
Fax +31 70 414 44 20
info@kiwa.nl
www.kiwa.nl



Evaluated is:
quality system
product
Periodic inspection

3 Layer PVC pipes for sewerage inside buildings

PRODUCTSPECIFICATIE

3 Layer PVC Pipes intended for pressureless sewerage inside buildings according to BRL 2023. The pipes according to the table below belong to this certificate.

Table

Nominal outside diameter (mm)	Certified Dimensions
32	x
40	x
50	x
63	x
75	x
90	x
110	x

Marking

The products shall be marked with the KOMO[®]-mark.

The minimum requirements on the pipes shall be:

- KOMO[®] word mark;
- the manufacturer's name or trade name;
- material identification "PVC";
- evaluation guideline: BRL 2023;
- nominal outside diameter;
- production period.

The realization of the marks is as follows: clearly, durable and indelible..

Location of the marks: on every pipe at intervals of not more than 2 m

RECOMMENDATIONS FOR CUSTOMERS

Check at the time of delivery whether:

- the supplier has delivered in accordance with the agreement;
- the mark and the marking method are correct;
- the products show no visible defects as a result of transport etc.

If you should reject a product on the basis of the above, please contact:

- DYKA B.V.
- and, if necessary,
- Kiwa Nederland B.V.

Consult the supplier's processing guidelines for the proper storage and transport methods.

CONSTRUCTION PRODUCTS REGULATIONS

If a construction product is subject to a European harmonised technical specification, the statements in this KOMO product certificate must not be used as a replacement for the CE marking on such construction product and/or for the associated obligatory Declaration of Performance.