



KOMO[®]
product certificate
K79659/05



Issued	2019-03-01	Replaces	K79659/04
Valid until	Indefinite	Dated	2017-01-01
Page	1 of 2		

PP ribbed pipes for non-pressure underground sewerage

Dyka B.V.

STATEMENT BY KIWA

This product certificate is issued on the basis of BRL 9208-2 "Pipes and fittings with structured wall for non-pressure underground drainage and sewerage - Part 2 - Type B: PP, PE" dated 30 August 2017, conform the Kiwa-Regulations for Certification.

The quality system and product characteristics in association with the PP ribbed pipes for non-pressure underground sewerage are assessed periodically.

On this basis Kiwa declares that a justified confidence exists, that the PP ribbed pipes for non-pressure underground sewerage delivered by the certificate holder at delivery fulfil:

- the technical specification laid down in this product certificate;
- the product requirements as laid in the BRL;

provided that the PP ribbed pipes for non-pressure underground sewerage have been marked with the KOMO[®]-mark in a manner as indicated in this product certificate;

Ronald Karel
 Kiwa

*The certificate is listed in the overview on the website of Stichting KOMO: www.komo.nl.
 Advice: consult www.kiwa.nl in order to ensure that this certificate is still valid.*

Kiwa Nederland B.V.
 Sir Winston Churchilllaan 273
 Postbus 70
 2280 AB RIJSWIJK
 The Netherlands
 Tel. +31 88 998 44 00
 Fax +31 88 998 44 20
 info@kiwa.nl
www.kiwa.nl

Holder of Certificate
 Dyka B.V.
 Produktieweg 7
 8331 LJ STEENWIJK
 Postbus 33
 8330 AA STEENWIJK
 Tel. +31 (0)521-534906
 Fax +31 (0)521-534371
 info@dyka.nl
www.dyka.nl

Production location
 Dyka Plastics
 Stufzandstraat 47
 Nolimpark 4004
 3900 Overpelt
 Belgium
 Tel. +32 (0)11800430
 Fax +32 (0)11661280

Production location
 Bauernfeind GmbH
 Gewerbepark 2
 4730 Waizenkirchen
 Austria
 Tel. +43 (0)72772598-36
 Fax +43 (0)72772598-25
www.bauernfeind.co.at



Evaluated is:
 quality system
 product
 Periodic inspection

PP ribbed pipes for non-pressure underground sewerage

PRODUCT SPECIFICATION

Ribbed pipes of PP for non-pressure underground drainage and sewerage, in accordance with guideline BRL 9208-2. The products in the table below are part of this product certificate.

Ring stiffness: the initial stiffness of the products belonging to this certificate is 8 kN/m².
The PP material has a high E-modulus.

Colour (outside) pipes: black.

Table 1 – Structured wall pipes


ID (mm)	SN8
200	X
250	X
300	X
400	X
500	X
600	X
800	X

MARKING

The products shall be marked with the KOMO[®]-mark.

The realization of the marks is as follows: clear, durable and indelible.
Location of the marks: on every pipe at intervals of not more than 2 m.

The pipes shall be marked with at least the following marks:

- KOMO word mark or logo ;
- certificate number;
- manufacturer's name or trade name;
- material designation;
- classification;
- nominal outside diameter in mm;
- production period or production code.

Marking with BRL 9208-2 is optional.

APPLICATION AND USE

The products are intended to be used in a plastic piping system for non-pressure underground drainage and sewerage. Take into account the following installation guidelines:

- NEN-EN 1610 "Construction and testing of drains and sewers";
- the processing guidelines of the producer.

PROCESSING GUIDELINES

The supplier shall provide processing instructions.

The instructions drawn up in the Dutch language shall contain specific information with regard to storage, transport and installation of the products.

RECOMMENDATION FOR THE CUSTOMER

Check at the time of delivery whether:

- the supplier has delivered in accordance with the agreement;
- the mark and the marking method are correct;
- the products show no visible defects as a result of transport etc.

if you should reject a delivery on the basis of the above, please contact:

- Dyka B.V.
- and, if necessary:
- Kiwa Nederland B.V.

For the proper storage, transport and processing consult the instructions of the certificate holder.

LIST OF DOCUMENTS*

NEN-EN 1610: 2015 Construction and testing of drains and sewers

* For the right version of the mentioned documents, see the last correction page of the BRL

